



2022 Caterham Seven 310R Championship Sporting & Technical Regulations

PUBLISHED COPY

Signed: 
SIMON LAMBERT - CHAMPIONSHIP COORDINATOR

Date: 24th March 2022



CONTENTS		Page
	Introduction	2
1	SPORTING REGULATIONS – GENERAL	2
1.1	Title & Jurisdiction	2
1.2	Officials	2
1.3	Competitor Eligibility	3
1.4	Registration	4
1.5	Championship Events	5
1.6	Scoring	6
1.7	Awards	7
2	CHAMPIONSHIP RACE MEETINGS & RACE PROCEDURES	10
2.1	Entries	10
2.2	Briefings	10
2.3	Qualification Practice	11
2.4	Races	11
2.5	Starts	11
2.6	Session Red Flag	12
2.7	Pits, Paddock and Pit Lane Safety	12
2.8	Race Finishes	13
2.9	Results	13
2.10	Timing Modules	13
2.11	Multi Race Format	14
2.12	Operation of the Safety Car	17
2.13	Onboard Cameras	17
2.14	Parc Fermé	17
3	SPECIFIC CHAMPIONSHIP REGULATIONS	18
3.1	Motorsport UK's Respect Code	18
3.2	Re-Scrutiny	18
4	SPECIFIC CHAMPIONSHIP PENALTIES	19
4.1	Infringements Of Technical Regulations	19
4.2	Additional Specific Championship Penalties	19
4.3	Social Media	20
4.4	General Conduct	20
5	TECHNICAL REGULATIONS	21
5.1	Introduction	21
5.2	General Description	22
5.3	Safety Requirements	23
5.4	General Technical Requirements & Exceptions	25
5.5	Chassis	26
5.6	Bodywork	27
5.7	Engines	30
5.8	Suspensions	33
5.9	Transmission	35
5.10	Electrics	36
5.11	Brakes	38
5.12	Wheels/Steering	39
5.13	Tyres	40
5.14	Weights	41
5.15	Fuel Tank & Fuel	41
5.16	Silencing	42
5.17	Competition Numbers & Decals	42
6	APPENDICES	44
6.1	Race Organising Clubs & Contacts	44
6.2	Commercial Undertakings	45
6.3	<i>Deleted</i>	46
6.4	<i>Deleted</i>	46

INTRODUCTION

The Seven 310R championship has taken over from the hugely popular Supersport championship with an identical formula and near identical car; the only difference being the change to a variable cam version of Sigma engine, introduced in Academy in 2014 and now at this ultimate level for the car. The TiVCT engine has an additional 12bhp over the Supersport.

Championship Results 2021

1st Lewis Thompson

2nd Pete Walters

3rd James Wingfield

1. SPORTING REGULATIONS – GENERAL

1.1 TITLE & JURISDICTION

The 2022 Caterham Seven 310R Championship is organised and administered by the British Racing and Sports Car Club (BRSCC) in accordance with the General Regulations of the Motorsport UK (incorporating the provisions of the International Sporting Code of the FIA) and these Championship Regulations.

Motorsport UK Championship Permit No: CH2022/R067

Race Status: Interclub

Motorsport UK Championship Grade: C

The BRSCC reserves the right to amend or vary the Sporting Regulations in accordance with Motorsport UK Regulation [D [11.2](#)] at any time before or during the Championship and further issue additional statements concerning the Regulations from time to time, subject to Motorsport UK approval, and all such statements will be issued by Championship Bulletin to the Motorsport UK and to all registered competitors by email or by post to the address detailed on the Registration Form, or by delivery to the competitor by hand. It is a condition of entry into the championship that all competitors, teams, team members and persons associated with any of the above agree to be bound by the Regulations including any amendments, variations or statements relating thereto.

The promoter and manufacturer, Caterham Cars Ltd is hereafter referred to as 'Caterham'. Caterham operates from three sites; Dartford (Dartford, Kent; factory, Engineering and Caterham Motorsport office), Gatwick (Crawley, West Sussex; Sales, Marketing, and race services) and Westbury (Westbury, Wiltshire; chassis manufacture and repair).

1.2 OFFICIALS

1.2.1 Championship Co-ordinator

Simon Lambert

Caterham Cars Ltd

2 Kennet Road

Dartford

Kent

DA1 4QN

Tel: 07989 404503

Email: simon.lambert@caterham.com

1.2.2 Licenced Eligibility Scrutineer

Ian Millar
Tel: 07703 765692
Email: millarian@me.com

1.2.3 Championship Stewards

D Wells, T Parry, [E Jones & D Evans](#)

Any three Championship Stewards will constitute a quorum. In the event of any of the Championship Stewards listed above being unavailable or being unable to consider any particular matter due to a perceived conflict of interest, the organisers reserve the right to appoint an alternative Championship Steward or, if deemed to be necessary, more than one alternative Championship Steward.

(G) 2.7 Championship Stewards may only adjudicate on any disputes, irregularities or appeals arising from the approved Championship regulations.

(G) 2.7.1 Championship Stewards are also empowered to consider any request from the Championship co-ordinator to penalise any Competitor for any breach of Championship regulations after holding a formal hearing to impose a penalty in accordance with C.2.1.1 (subject to the rights of appeal provided for in Section C).

(W) 2.2.1 The Championship Stewards can only adjudicate upon any disputes, irregularities or appeals arising from the approved Championship Regulations. They are also empowered to consider any request from the Championship Co-ordinator to penalise any Competitor for breach of Championship Regulations and, after holding a formal hearing, to impose a penalty in accordance with C.2.1, subject to the rights of appeal to the MSC provided in Section C.

1.3 COMPETITOR ELIGIBILITY

1.3.1 Entrants must:

- (a) Be fully paid up valid membership card holding members of the BRSCC and
- (b) be registered for the Championship and
- (c) be in possession of a valid Motorsport UK Entrants Licence

1.3.2 Drivers and Entrant/Drivers must:

- (a) Be current Members of the BRSCC and
- (b) be Registered for the Championship and
- (c) be in possession of valid Competition (Racing) Club Licence, as a minimum
- (d) Or be in possession of the highest grade of National Race Licence or valid FIA International Licence, together with their ASN's written consent ((H)26.2 and FIA ISC Article 2.3.7b applies).
- (e) If participation in the Championship requires absence from education a driver, in full time school education is required to have the approval of their head teacher and a letter stating such approval from the school in order to fulfil registration for the Championship. A driver shall not take time out of their education to participate in motor sport without the prior written approval of their education establishment.

~~1.3.3 Deleted~~

~~1.3.3.1 Deleted~~

1.3.4 All necessary documentation must be presented for checking at all rounds when signing-on.

- 1.3.5 All Drivers, with the exception of those permitted under 1.6.5 must be registered for the 2022 Caterham Seven 310R Championship in order to be eligible to take part in any of the races forming this championship. Unregistered drivers with the exception of those permitted under 1.6.5 will not be permitted to qualify or take part in any of these events.
- 1.3.6 Only drivers registered for the full year (i.e. have paid the full year's registration fee) are eligible to score championship points. Drivers registering for rounds on an individual basis (or multiple of less than five rounds) may be awarded individual race trophies if their finish position merits it, but will not score points and will be invisible for the allocation of points, with the exception of 1.6.5(e).
- 1.3.7 The organisers reserve the right to enter a 'Celebrity/Development/Guest' car at any event. This car and driver(s) will not score points but may be awarded individual race trophies if their finish position merits it; the competition Number 7 will be reserved for this entry.
- 1.3.8 Competitors must ensure that their cars comply with the conditions of eligibility and safety throughout qualifying and racing.
- 1.3.9 At each round, the car (identified by its unique chassis number) in which a driver races, must be the same car in which the driver qualified or, where a grid is determined by the outcome of a preceding race, must be the same car in which the driver competed in that race.

Under some circumstances, the Clerk of the Course may grant permission for an alternative car to be used, should they feel this is appropriate. This must be the car of a fellow competitor who is registered for the championship (not being used by the regular driver).

- 1.3.10 The organiser reserves the right to refuse a competitor's registration (and thereby ability to enter) for the series or individual rounds, based on Caterham's opinion as to their suitability to be able to race safely.

1.3.11 **Technical & Race Support**

Full professional support is allowed.

1.4 **REGISTRATION**

- 1.4.1 All drivers must register with the Championship Coordinator not less than two weeks before practice of the first championship round being entered by completing the online registration system found on the Caterham website. Each driver will be issued with a separate competition number. If an entrant wishes to nominate more than one driver during the course of the season he/she must complete one registration form for each driver.
- 1.4.2 A registration fee of £445 with a £50 early registration discount if registered prior to 1st January 2022 for the complete season, or £150 per race weekend, is payable for this championship in respect of each driver entered. Cheques should be made payable to Caterham Cars Limited. Registered drivers may allow substitute drivers to take part in events in their place without the payment of additional registration fees with the permission of the Championship Coordinator. However, registration forms for substitute drivers must still be completed and submitted at least one week before the event in question.
- 1.4.3 Registration numbers will be permanent competition numbers for the championship. Numbers will be allocated on request using a first come first served basis until the end of December 2021 with priority given to drivers competing in the 2022 Caterham Seven 310R Championship wishing to retain their 2021

numbers. After 1st January 2022 championship numbers will be allocated by the Championship Coordinator.

#1 will not be allocated to any driver.

Drivers from the 2021 270R championship will have their 2021 number reserved for Seven 310R until the 31st December 2021 (unless they register earlier and choose a different number – or if their number is already taken by an existing 310R driver), at which point it will be made available to others.

- 1.4.4 At their discretion, the organisers and promoters of the championship reserve the right to refuse competitors' registrations for the championship or individual rounds (and thereby ability to enter), based on the Organisers opinion as to their suitability to be able to race safely
- 1.4.5 Registration for the championship may be revoked at any point during the season should it be deemed necessary by Caterham for the competitor to be prevented from entering any further races either to safeguard the safety of other competitors and themselves, or because the competitor's conduct is not deemed suitable by Caterham for the environment of the championship.

1.5 CHAMPIONSHIP EVENTS

The 2022 Championship will be contested over 14 rounds at the following venues:

ROUNDS	DATE	VENUE	ORGANISING CLUB
1 & 2	9 th & 10 th April 2022	Brands Hatch Indy	BRSCC
3 & 4	21 st & 22 nd May 2022	Snetterton 300	BRSCC
5 & 6	18 th & 19 th June 2022	Silverstone GP*	BRSCC
7 & 8	9 th & 10 th July 2022	Donington Park National	BRSCC
9 & 10	13 th & 14 th August 2022	Anglesey International*	BRSCC
11 & 12	17 th & 18 th September 2022	Knockhill*	BRSCC
13 & 14	15 th & 16 th October 2022	Spa-Francorchamps*	RACB

* Denotes the four qualifying events for the Three Nations Cup.

1.6 SCORING

1.6.1 Points will be awarded to all full year registered competitors listed as classified finishers in the Final Results as follows. The points scheme to be used will be identified by the total number of registrations for the championship at the 31st January 2022, as follows:

Position	Registrations			Position	Registrations		
	32 or fewer	33-40	41 or more		32 or fewer	33-40	41 or more
1 st	25 points	30 points	35 points	16 th	9	14	19
2 nd	23	28	33	17 th	8	13	18
3 rd	22	27	32	18 th	7	12	17
4 th	21	26	31	19 th	6	11	16
5 th	20	25	30	20 th	5	10	15
6 th	19	24	29	21 st	4	9	14
7 th	18	23	28	22 nd	3	8	13
8 th	17	22	27	23 rd	2	7	12
9 th	16	21	26	24 th		6	11
10 th	15	20	25	25 th		5	10
11 th	14	19	24	26 th		4	9
12 th	13	18	23	27 th		3	8
13 th	12	17	22	28 th		2	7
14 th	11	16	21	29 th			6
15 th	10	15	20	30 th			5
				31 st			4
				32 nd			3
				33 rd			2
				All other classified finishers			1 point

One extra point will be awarded for fastest lap in each race. Non-points scoring cars (see 1.3.5, 1.3.6, 1.6.5 and 1.6.7) that achieve the fastest lap will be ignored and the point passed to the points-scoring car that achieved the fastest lap; but may be eligible for the fastest lap to be recorded as the lap record (if deemed appropriate by the Championship Organisers).

A racing lap time may not count towards being the fastest lap if there was a track limits breach during the lap.

In the event of a Double Header, both races will score full points and be eligible for trophies and prizes.

- 1.6.2 The totals from all rounds of the championship held, less two will determine the final Championship points and positions. Drivers disqualified from results technical infringements may not use that (those) round(s) as discarded rounds for the purpose of overall championship placings. Dropped scores must also include any points for fastest race lap accrued in respect of the dropped points.
- 1.6.3 Ties will be resolved using the formula in (W) 1.3.4 in the Motorsport UK Yearbook and applied to only those scores used to establish the championship total. The two scores discarded for the purpose of the final championship points as described in 1.6.2, will not be considered for the purpose of resolving a tie break.
- 1.6.4 Where the race distance has been reduced (2.6) it shall still count as a full points scoring round.
- 1.6.5 Competitors not registered for the Championship may be permitted on an individual round basis and will:
- (a) Be deemed "Guest Competitors"
 - (b) Not score points and for the purpose of points scoring will be ignored, with the exception of 1.6.5(e)
 - (c) Qualify for Event awards
 - (d) Comply with the eligibility as prescribed in Article 1.3 above, with the exception of 1.3.1(b) and 1.3.2. (b), as appropriate.
 - (e) Guest Competitors will be entitled to score points towards the Three Nations Cup
- 1.6.6 Drivers whose only races of the championship are the final double-header weekend races, will not score championship points for these rounds (as per regulation 1.3.5), even if they are registered for the whole season.
- 1.6.7 All year end results are provisional until announced as official by the Organisers or Caterham Cars Ltd., that includes tables published on all official websites.

1.7 AWARDS

- 1.7.1 There will be prizes provided by the sponsors and distributed to drivers in the Caterham Championship as follows:
- 1.7.2 **Per round**
- Trophies will be given for overall race 1st, 2nd & 3rd place winners.
- 1.7.3 **End of the season Championship awards will be presented as follows:**
- Trophies to 1st 2nd and 3rd overall.

1.7.2.1 Three Nations Cup

All competitors (including those fully registered for the Championship and Guests in accordance with 1.6.5) will automatically be registered for the Three Nations Cup upon entering one of the Qualifying Rounds. Registration for the Three Nations Cup will be free of charge. The Three Nations Cup will be awarded to the driver scoring the most points in accordance with the following:

- Qualifying rounds will be 5 & 6 (Silverstone GP), 9 & 10 (Anglesey), 11 & 12 (Knockhill), 13 & 14 (Spa-Francorchamps).
- Both competitors registered for the championship and Guest Competitors (in accordance with 1.6.5) may score points for the Three Nations Cup.
- Points awarded will be as per the championship race points, in accordance with 1.6.1 of these regulations.
- Knockout: Competitors registered for the championship will automatically become ineligible to compete for the Three Nations Cup should they obtain a podium at any of the qualifying Three National Cup rounds and all points accrued for this award will be removed. This does not apply to Guest Competitors.
- The totals from all qualifying rounds of the Three Nations Cup held, less two will determine the final Three Nations Cup points and positions. Drivers disqualified from results for technical infringements may not use that (those) round(s) as discarded rounds for the purpose of Three Nations Cup placings. Dropped scores must include any points for fastest race lap accrued in respect of the dropped rounds.

1.7.4 Presentations

Trophies will be provided for each round and shall be presented at the end of each round.

Competitors shall be obliged to attend all prize giving ceremonies for which the race meeting and championship organisers give adequate notice of the dates, times and venues in their final instructions or bulletins.

Competitors required to take part in a podium celebration must present themselves in their race overalls, worn correctly, for the purposes of neat and professional presentation.

1.7.5 Entertainment Tax Liability

In accordance with current Government Legislation, the Organisers is legally obliged to withhold tax at the basic rate on all payments to non-UK resident sportsmen/sportswomen and account to HMRC using form FEU1, the quarterly return of payments made to non-resident entertainers and sportsmen/women.

That is, those persons who do not have a normal permanent residence in the UK. The UK does not include the Isle of Man, Channel Isles or Eire. This means that as the organiser the BRSCC is required to deduct tax at the current rate applicable, from any such payments they may make to non-UK residents.

Under certain circumstances, it may be possible for competitors to enter into an agreement with the HMRC to limit tax withheld. Any application for such an arrangement must be made in writing and not later than 30 days before their payment is due.

For further information contact: - HMRC Personal Tax International, Foreign Entertainers Unit, St Johns House, Merton Road, Liverpool L75 1BB. Tel: (0151) 472 6488 Fax: (0151) 472 6483

1.7.6 **Title to all Trophies**

In the event of any Provisional Results being revised after any provisional presentations and if such revisions affect the distribution of any awards the competitors concerned must return such awards to the [organisers](#) in good condition within 7 days.

1.7.7 **Bonuses**

The organisers/sponsors/promoters reserve the right to provide additional awards for and during the Championship.

2. CHAMPIONSHIP EVENT MEETINGS & RACE PROCEDURES

2.1 ENTRIES

- 2.1.1 Competitors are responsible for sending in correct and complete entries with the correct entry fee prior to the closing date for entries before each event.
- 2.1.2 Incorrect or incomplete entries (including driver to be nominated entries) are to be held in abeyance until they are complete and correct. The date of receipt for acceptance of entry purposes shall be the date on which the Secretary of the Meeting receives the missing or corrected information or fee.
- 2.1.3 Any withdrawal of Entry or Driver/Car changes made after the acceptance of any entry must be notified to the Meeting Organisers in writing. D25.1.12 applies.
- 2.1.4 The Entry Fee for each event shall be specified in the SRs and on the entry form.
- 2.1.5 Reserves will be listed in the final list of entries published with Final Instructions or in a Bulletin.

In the event that oversubscription becomes a possibility in the 2022 Seven 310R championship, priority for entry is given to drivers in the following order; unless they register after 31 December 2021:

- Drivers that competed in the 2021 270R championship
- Drivers that competed in the 2021 Academy championship
- Lapsed driver that competed in the 2020 Roadsport championship returning to racing
- Lapsed drivers that competed in the 2019 and 2020 Academy returning to racing
- All others on a 'first registered' basis.

The organisers may use an alternative measure deemed by them to be the most fair should the above result in an anomaly or does not sufficiently resolve the issue. Competitors are reminded that in line with nearly all other championships in UK motorsport, early registration will be in their interest as this is the most common measure used to resolve oversubscription.

- 2.1.6 Reserves will be nominated on the final list of entries published with Final Instructions or Amendment Sheet Bulletins. All Reserves will practice (subject to Motorsport UK regulation Q12.4.4) and replace withdrawn or retired entries in Reserve Number order. If Reserves are given Grid Places prior to issue of the first Grid Sheets for any round the times set in Practice shall determine their grid positions. If Reserves are given places after publication of the grid sheet and prior to cars being collected in the Official "Assembly Areas" they will be placed at the rear of the Grid and be started without any time delay. Otherwise, they will be held in the pitlane and be released to start the race after the last car to take the start has passed the start line or pitlane exit, whichever is the later. Such approval to start MUST be obtained from the Clerk of the Course.

2.2 BRIEFINGS

Organisers will notify competitors of the times and locations for all briefings in the Final Instructions for all meetings, competitors must attend all briefings.

2.3 QUALIFICATION PRACTICE

- 2.3.1 Should any practice session be disrupted the Clerk of the Course shall not be obliged to resume the session or re-run sessions; the decision of the Clerk of the Course shall be final.
- 2.3.2 Each driver shall complete a minimum of 3 laps in the car to be raced, and in the correct session, in order to qualify (Motorsport UK Regulations Q12.4).
- 2.3.3 A driver whose best qualifying time is 10% or more slower than that of the third fastest car (where similar weather conditions prevailed), may be disqualified from qualifying and not permitted to race in accordance with Motorsport UK regulation [Q12.4.3]
- 2.3.4 Starting positions for the first race at an event will be determined by qualification practice times [Q12.9.2(a)]. Starting positions for the second race (or subsequent races) will be determined by the finishing order of the preceding race [Q12.9.2(c)] with non-finishers placed behind finishers in reverse order of retirement and non-starters placed behind non-finishers in order as determined by the Clerk of the Course. Alternatively, at the organisers discretion and notified in the Supplementary Regulations, the starting positions for the second race (or subsequent races) will be determined by the fastest lap achieved by the competitor in the preceding race, regardless of finishing order or a DNF result [Q12.9.2(d)].
- 2.3.5 If mechanical means are used by the marshals to recover a car to a safe position, the car concerned cannot re-join the session, unless it will enable the competitor to complete the three laps necessary under Q12.4 to take part in the race. In this instance, subsequent laps after the recovery will not be timed
- 2.3.6 At the end of each session, all drivers must cross the Finish Line only once.

2.4 RACES

- 2.4.1 Should any race be disrupted the Clerk of the Course shall not be obliged to resume or rerun the race (Q12.15) (1.6.4 above applies).
- 2.4.2 If mechanical means are used by the marshals to remove the car to a safe position, the car concerned cannot re-join the session.
- 2.4.3 At the end of each session, all drivers must cross the Finish Line only once.

2.5 STARTS

- 2.5.1 All cars will be released to form up on the grid prior to the start in formation as specified on the grid sheet.
- 2.5.2 The start will be via a standing start.

The minimum countdown procedures/audible warning sequence shall be:

- I. 1 minute to start of Green Flag/Pace lap - Start Engines/Clear Grid.
- II. 30 Seconds - Visible and audible warnings for the start of Green Flag/Pace lap.
- III. A five second board will be used to indicate that the grid is complete after the green flag lap.

IV. The red lights will be switched on five seconds after the board is withdrawn.

- 2.5.3 Any car removed from the grid after the 1-minute stage or driven into the pits on the Green Flag shall be held in the pit lane and may start the race after the last car to take the start from the grid has passed the start line or pit lane exit, whichever is the later.
- 2.5.4 Any driver unable to start the Green Flag lap/Pace lap or start the race is required to indicate their situation as per Motorsport UK Regulation [Q12.11.2]. In addition any driver unable to maintain their grid position on the Green Flag lap, to the extent that ALL other cars are ahead of them may complete the Green Flag Lap, but they MUST remain at the rear of the last row of the grid but ahead of any cars to be started with a time delay.
- 2.5.5 In the event of any starting lights failure the Starter will revert to use of the National Flag.

2.6 SESSION RED FLAG

- 2.6.1 Should the need arise to stop any race or practice, RED LIGHTS will be switched on at the Start Line and RED FLAGS will be displayed at the start line and at all Marshals Signalling Points around the circuit.

This is the signal for all drivers to cease circulating at racing speeds, to slow to a safe and reasonable pace and to return to the pit lane, during practice, and to the starting grid area, during a race, which will automatically become a parc ferme area, unless otherwise directed by officials.

Cars may not enter the pits unless directed to so and all cars in the pit land during a red flag period must take any restart from the pit exit.

- 2.6.2 **Case A – Less than two race laps completed by the race leader.**

The race will be null and void. The race will restart from the original grid positions. Competitors unable to take the restart may be replaced by reserves who will start from the back of the grid in reserve order. Gaps on the grid should not be closed up. The length of the restarted race will be determined by the Clerk of the Course.

- 2.6.3 **Case B – More than two race laps completed by the race leader but less than 75% of the scheduled distance.**

The race will restart from a grid set out by the finishing order of part one (as per Motorsport UK Regulation [Q 12.15.2]) The result of the race will be the finishing order of part two. The length of the restarted race will be determined by the Clerk of the Course.

- 2.6.4 **Case C - More than 75% of race completed**

If the leader has completed more than 75% of the race distance or duration it shall not be restarted and the results will be declared in accordance with Motorsport UK General Regulations [Q12.15.4], unless the Clerk of the Course, in consultation with the Stewards deems it appropriate to restart the race.

2.7 PITS, PADDOCK & PITLANE SAFETY

- 2.7.1 **Pits & Paddock**

Competitors must ensure that the Motorsport UK, Circuit Management and Organising Club Safety Regulations are complied with at all times.

2.7.2 Pit Lane

The outer lane or lanes are to be kept unobstructed to allow safe passage of cars at all times. The onus shall be on all Drivers to take all due care and [respect the pit lane speed limits](#).

2.7.3 Refuelling

May only be carried out in accordance with the Motorsport UK General Regulations the Organising Club regulations, Circuit Management Regulations and SR's or Final Instructions issued for [each circuit/meeting](#).

2.7.4 Speed Limit

Pit Lane Speed Limit will be as per the Final Instructions.

2.8 RACE FINISHES

After taking the Chequered Flag drivers are required to:

- I. progressively and safely slow down
- II. remain behind any competitors ahead of them,
- III. return to the pit lane entrance/paddock entrance as instructed,
- IV. comply with any directions given by marshals or officials
- V. keep their helmets on and harnesses done up while on the circuit or moving in the pit lane.

During races, drivers will be notified of the progress of their race in the following way:

When the race has 5 minutes remaining, the leader and the whole field will be shown the 5 minute board to indicate that the race is into its final 5 minutes. The leader and the whole field will then be shown the last lap board to indicate that they are on the final lap of the race. On completion of the race, the chequered flag will be shown.

2.9 RESULTS

All Practice Timesheets, Grids, Race Results are deemed provisional until all vehicles are released by Scrutineers after Post Practice/Race Scrutineering and/or after completion of any Judicial or Technical Procedures. (Motorsport UK regulation (D)26.3)

2.10 TIMING MODULES

- 2.10.1 All competitors will be required to fit Electronic Self Identification Modules to their cars for the purposes of accurate timing. Holders for these and detailed fitting instructions will be issued with the transponders and it will be the responsibility of the competitor to fit these in the car in the position and manner specified. The Modules must be in place and functioning correctly for all Championship qualifying practice sessions and races. The setting and servicing of these items must only be carried out by properly authorised Motorsport UK licensed Timekeepers. Competitors will be charged by the timing company for replacement of the Modules due to misuse or loss at any time during the season. The identification number of the transponder must be submitted to the Championship Coordinator via the registration form before the start of the competitor's first race weekend and any changes notified to the Championship Coordinator before the competitor's next event.

2.10.2 Competitors may not place electronic timing equipment within five metres of the official Start, Finish or any other official timing lines at any event or test session/day. Any such equipment placed within these zones will be removed.

2.11 MULTI RACE FORMAT

In the event of any rounds being oversubscribed the Organising Clubs in consultation with the organisers may at their discretion run either a three race format or a four race format, as detailed below. In some circumstances, it may be necessary to adapt the format. Any changes to the prescribed method will be notified in the Final Instructions.

In the event of a competitor withdrawing prior to the event or after qualifying, negating the requirement for a multiple race format, the organisers reserve the right to revert to a regular two race timetable with all drivers competing in both races.

2.11.1 Three Race Format

Qualifying

Competitors will qualify in the session as detailed on the timetable. After qualifying competitors will be split into 3 groups:

- Group A
- Group B
- Group C

Qualifying	Group Allocation
1 st	A1
2 nd	B1
3 rd	C1
4 th	A2
5 th	B2
6 th	C2
7 th	A3
8 th	B3
9 th	C3

And so on until all competitors are allocated into a group. Should any car not finish the qualifying, they will be placed into a group in reverse order of retirement.

Should it be necessary to provide two qualifying sessions, competitors will be split randomly between the two qualifying sessions. Upon completion of the qualifying sessions, Competitors will be allocated into Groups A, B and C as follows:

Qualifying 1	Group Allocation
1 st	A1
2 nd	C1
3 rd	B2
4 th	A3
5 th	C3
6 th	B4

Qualifying 2	Group Allocation
1 st	B1
2 nd	A2
3 rd	C2
4 th	B3
5 th	A4
6 th	C4

2022 CATERHAM SEVEN 310R CHAMPIONSHIP - SPORTING & TECHNICAL REGULATIONS

7 th	A5
8 th	C5
9 th	B6

7 th	B5
8 th	A6
9 th	C6

Qualifying 1 will be deemed to be the qualifying session in which the faster lap was set, irrespective of track conditions. Should equal fastest lap times be recorded in both qualifying sessions, qualifying 1 will be decided by referring to second fastest lap times recorded by the two competitors who recorded equal times and so on.

Races

Each group will then race against each other, each racing twice as follows:

- Race 1 – Group A & B
- Race 2 – Group B & C
- Race 3 – Group C & A

Each race will be a minimum scheduled race distance of 30 minutes.

Grids


When there have been two qualifying sessions, the grids for each of these races will be simply formed by placing each group in order regardless of the time recorded in qualifying. Race 1 will have A1 on pole, Race 2 B1 on pole and Race 3 will have C1 on pole.

When there has been a single qualifying session, the ‘pole position’ group will be the one with the faster recorded time in qualifying.

Race 1 - A & B	
A1	B1
A2	B2
A3	B3
A4	B4
A5	B5
A6	B6
A7	B7
A8	B8

Race 2 - B & C	
B1	C1
B2	C2
B3	C3
B4	C4
B5	C5
B6	C6
B7	C7
B8	C8

Race 3 - C & A	
C1	A1
C2	A2
C3	A3
C4	A4
C5	A5
C6	A6
C7	A7
C8	A8

 = Pole Position

Points will be awarded as in 1.6 for each of the 3 races gaining competitors points for the usual 2 races.

2.11.2 Four Race Format

Qualifying

Competitors will qualify in the session as detailed on the timetable. After qualifying, competitors will be split into two groups, Red and Blue, dependant on qualifying positions. Those who have qualified in an ‘odd’ position (ie pole, 3rd, 5th, 7th etc) will be in the Red group and therefore those who have qualified in an ‘even’ position will be in Blue (2nd, 4th, 6th etc). For clarity:

Qualifying	Group Allocation
1 st	Red 1
2 nd	Blue 1
3 rd	Red 2
4 th	Blue 2
5 th	Red 3
6 th	Blue 3
7 th	Red 4
8 th	Blue 4

Races

The first race of the weekend will be designated 'Race A', the second 'Race B' and so on.

Race A

Will be for all drivers in the Red group. For clarity, the grid will be made up as follows given their original qualifying position:

Grid position	Actual Qualifying Result
1 st	1 st
2 nd	3 rd
3 rd	5 th
4 th	7 th

Race B

Will be for all drivers in the Blue group. For clarity, the grid will be made up as follows given their original qualifying position:

Grid position	Actual Qualifying Result
1 st	2 nd
2 nd	4 th
3 rd	6 th
4 th	8 th

Race C

The grid is formed based on the results of races A and B and will comprise of the odd placed cars from the Red race, versus the odd placed cars from the Blue race. As the Red group cars originally qualified higher, the winner of Race A will take pole position. As follows:

Grid Position	Race Result
1 st	A (Red) 1 st
2 nd	B (Blue) 1 st
3 rd	A (Red) 3 rd
4 th	B (Blue) 3 rd
5 th	A (Red) 5 th
6 th	B (Blue) 5 th
7 th	A (Red) 7 th
8 th	B (Blue) 7 th

Race D

The grid is formed based on the results of races A and B and will comprise of the even placed cars from the Red race, versus the even placed cars from the Blue race. As the Red group cars originally qualified higher, the runner-up from Race A will take pole position. As follows:

Grid Position	Race Result
1 st	A (Red) 2 nd
2 nd	B (Blue) 2 nd
3 rd	A (Red) 4 th
4 th	B (Blue) 4 th
5 th	A (Red) 6 th
6 th	B (Blue) 6 th
7 th	A (Red) 8 th
8 th	B (Blue) 8 th

2.12 OPERATION OF SAFETY CAR

2.12.1 The Safety Car will be brought into operation and run in accordance with Section Q, Appendix 3 of the Motorsport UK General Regulations.

2.13 ONBOARD CAMERAS

2.13.1 Video recording equipment is mandated by the technical regulations for the championship (see 5.10). All competitors must ensure that this equipment is recording during races and make the recorded footage available on request by the Clerk of the Course or his representatives. Failure to do so may lead to disciplinary measures by the Clerk of the Course and may prejudice their defence in the case of an incident. This request is not restricted to the single forward facing camera mandated, but may include any additional video recording equipment utilised on the car.

2.14 PARC FERMÉ

At all race events the showing of the Chequered Flag (for both Qualifying and Racing) will indicate the commencement of Parc Fermé Regulations. Any vehicle that is in the pit lane at this time will be under Parc Fermé rules.

It is prohibited to work on any vehicle after the chequered flag has been shown. This includes tyre pressure checking, wheel changes or changes of driver unless authorised by the Eligibility Scrutineer or their Deputy.

Any vehicle in the pit lane must be immediately taken to the designated Parc Fermé area. No team personnel may enter Parc Fermé unless authorised by the Eligibility Scrutineer or their Deputy.

No tools of any type may be passed by team members or mechanics to drivers whilst in Parc Fermé.

Competitors are reminded that the area designated as Parc Fermé area is a secure area and it is not permitted for any supporters to be in Parc Fermé unless at the behest of the eligibility scrutineer or their deputy.

3. SPECIFIC CHAMPIONSHIP REGULATIONS

3.1 MOTORSPORT UK'S RESPECT CODE

By registering for the Championship all competitors and their associates commit to positively promote and demonstrate the Motorsport UK's Respect Code which is appended to these regulations (Appendix 1).

3.1.1 Where any reports of disrespectful conduct are judged to be well founded the Championship organisers may issue warnings or require remedial actions and/or report the matter to the Championship Stewards who may impose appropriate penalties which can include loss of Championship points and/or race bans through to Championship Expulsion and referral to Motorsport UK.

3.1.2 It is imperative that we promote the safety and wellbeing of young people and adults at risk. In addition to this all participants must be aware of their behaviour and conduct at all times and abusive language and harmful behaviour will not be tolerated. Any such incidents must be reported to the Championship Coordinator and/or Safeguarding Officer who will also relay the report Motorsport UK. Details of the Motorsport UK Policies and Guidelines are available at www.motorsportuk.org/resource-centre by selecting Policies and Guidelines.

3.2 RE-SCRUTINY

Any vehicle involved in an accident during any session or race may be required to be re-presented to the scrutineers before taking part in any further session or race (Motorsport UK regulations J3.1.2 and S9.1.2 apply).

4. SPECIFIC CHAMPIONSHIP PENALTIES

In accordance with Section C of the current Motorsport UK Yearbook and these regulations.

4.1 INFRINGEMENTS OF TECHNICAL REGULATIONS

4.1.1 Arising from post practice Scrutineering or Judicial Action

Minimum Penalty: The provisions of Motorsport UK Regulation [C3.3].

4.1.2 Arising from post-race Scrutineering or Judicial Action

Minimum Penalty: The provisions of Motorsport UK Regulations [C 3.5.1 (a) & (b)].

For infringements deemed to be of a more serious nature the Clerk of the Course and/or Stewards of the Meeting are to invoke the provisions of Regulation [C 3.5.1 (c)].

4.2 ADDITIONAL SPECIFIC CHAMPIONSHIP PENALTIES

4.2.1 For offences under Motorsport UK regulations [C 1.1.5], [C 1.1.6], [Q12.21.2] and [Q12.21.5], the Clerk of the Course, at his discretion, may impose a Championship penalty in the form of the following:

- (i) For an offence in qualifying; a grid penalty of up to ten places
- (ii) For an offence in a race; a time penalty in accordance with Section C2.3 of the current Year Book.
- (iii) For an offence in a race where the offending driver is not classified; a grid position penalty in the next race/event.

For a driver who has already received a penalty during the course of a season, any subsequent penalty WILL have a championship penalty applied. Where a championship penalty has previously been applied, the severity of subsequent penalties will be increased

Otherwise as per Motorsport UK Judicial Procedure Regulations and the provisions of these championship regulations.

4.2.2 If a competitor is subject to disqualification from a race, their grid position for the next race will be behind all cars that qualify for a grid position based on time or race finish. This means that a disqualification in the second/final race of a weekend will carry a grid penalty forward to the next round.

4.2.3 For every penalty a competitor receives that includes Motorsport UK licence points with the exceptions of a C1.1.6 (flag infringement) or overtaking during a Safety Car period, a '3x points multiplier' championship penalty will also be incurred, whereby the number of points for that penalty will be multiplied by three and that number of championship points will be deducted from their championship total.

When a round takes place outside of the UK and is run under the regulations of the local ASN, a driver will not normally receive points on their Motorsport UK competition licence to accompany a penalty. The licence points that would have accompanied the same penalty in the UK will be assumed and the '3x points multiplier' still applies, even though licence points have not been received.

- 4.2.4 Any driver subject to disciplinary measures by the Clerk of the Course or the Stewards of the Meeting in relation to his or her driving of a car or his or her behaviour in the paddock at a meeting within this Championship may also be subject to additional penalties imposed by the Stewards of the Championship including points penalties, mandatory driving assessment, instruction, race bans or disqualification from the [championship](#).
- 4.2.5 In order to maintain standards of conduct, the Championship Coordinator will monitor all Officials/Observers reports of adverse behaviour at race meetings. If any individual is included on such reports, he or she will receive written warning from the Organisers that his or her driving/behaviour is to be specifically observed at future race meetings. Any adverse reports during this period of observation could result in a Championship Stewards' enquiry, with possible loss of Championship points and refusal of further race entries.
- 4.2.6 Any driver deemed by the Stewards of the Championship to have brought the promoter, Caterham, the championship or the sport into disrepute through his or her behaviour or actions, wherever this may be, may be subject to disciplinary measures imposed by the Stewards of the Championship including points, penalties, mandatory driving assessment, instruction, race bans or exclusion from the series.
- 4.2.7 Further or alternative additional championship specific penalties are at the discretion of the Championship Stewards.
- 4.2.8 The Clerk of the Course reserves the right to impose a 'Stop-Go Penalty/Drive Through Penalty' in accordance with Motorsport UK Regulations [Q12.26].

4.3 SOCIAL MEDIA

Social Media, including, but not restricted to, facebook, Instagram, Twitter etc, is a powerful and wide-reaching medium for the expression of views and opinions, and the sharing of photographs and video. As such, competitors should be aware that their conduct on social media regarding the Championship or the BRSCC and its drivers should reflect the reach social media has. If a competitor is considered to have brought the Championship or the BRSCC into disrepute in the opinion of the Championship Stewards they may be subject to a penalty or disqualification from the championship. Additionally, competitors are reminded that the Motorsport UK monitor social media and any remarks that are deemed to bring the sport into disrepute can lead to penalties.

4.4 GENERAL CONDUCT

The Championship Stewards reserve the right to impose further penalties on competitors deemed by the Officials to have behaved on or off the track in a manner considered likely to bring the championship into disrepute at any meeting. In the case of repeated offences, the Championship Stewards reserve the right to disqualify any competitor for a fixed number of races or the championship as a whole. In such cases, no other competitor's scores shall be adjusted.

5. TECHNICAL REGULATIONS

5.1 INTRODUCTION

The following Technical regulations are set out in accordance with Motorsport UK specified format and **it should be clearly understood that if the following texts do not clearly specify that you can do it, you should work on the principle that you cannot.**

Due to the continued development of the chassis and associated parts, Caterham reserves the right to change parts or part numbers specified within these regulations, at any time during the life of these regulations, and without prior notice, subject to Motorsport UK Regulation [D [11.2](#)].

The official Motorsport UK Eligibility Scrutineer or his appointed deputy will be attending rounds of the championship and he is available to provide advice as well as ensuring that the regulations are strictly enforced to ensure fair play.

All Caterham Seven 310R Championship cars must comply with the requirements as laid down in the Technical regulations at all times, whether during official practice or racing and it is the Entrant's responsibility to ensure all such requirements are met. Any infringement of the Technical Regulations will render the competitor liable to penalties as set out in Section 4 of these regulations.

Technical checks may be carried out before, during and after practice and again at the end of the race. The Eligibility Scrutineer or his appointed deputy is empowered to undertake any form of technical verification procedure that he deems necessary and may order the removal of parts from the car, substitution of standard parts, or for the car to be otherwise dismantled in order to carry out inspection. This specifically includes the substitution of parts at random and the Scrutineer has the right to swap components from car to car. All costs will be borne by the competitor

Cars may be taken back to Caterham after any race meeting for full technical examination.

The Eligibility Scrutineer or his appointed deputy reserves the right to check any suspect part directly with a standard part as supplied by Caterham. Suspect parts that might need to be removed for checking elsewhere will be marked by official Motorsport UK approved seals and a certificate of sealing will be handed to the competitor or his agent. This certificate will detail the seals and the precautions that need to be taken to keep the seals intact. Should the competitor or his agent not be present whilst his car is being dismantled for checking, no dispute over his vehicle or its components will be entertained. All costs will be borne by the competitor.

It is a condition of the championship that any vehicle may be selected for an engine power test by the Eligibility Scrutineer or his appointed deputy at any time and its brake horsepower measured over a representative range of engine speeds. The organisers cannot be held responsible for mechanical damage to engines and transmissions when under test. However such tests will not put the cars through any stresses beyond normal design limitations.

Although the Championship Coordinator and technical personnel from Caterham are happy to advise competitors on rules and regulations, they are not empowered to give any kind of judgement regarding the eligibility of cars.

Finally, don't forget that although your Scrutineer is happy to speak to you about these regulations, it is extremely discourteous to contact him after 10.00pm.

5.2 GENERAL DESCRIPTION

The 2022 Caterham Seven 310R Championship is a one make racing championship for competitors participating in Ford Sigma TiVCT powered Caterham Sevens in road going form, with exceptions allowed for racing.

All cars must be road registered and registration documents must be available for inspection at all meetings, with the exception of cars fully specified and built from new, specifically for the series and certified as such by Caterham (including such cars that are later upgraded from new-build to Seven 310R specification).

A valid MOT certificate, Vehicle Excise Duty and road insurance are not required.

With the prior approval of the Eligibility Scrutineer and the Championship Coordinator, it is permitted to make modifications which contravene the regulations below in order to adapt the car for use by a registered disabled person in this Championship. These adaptations are strictly limited to those that enable the driver to overcome the effect of the direct disability. No further modifications are permitted, refer to Motorsport UK Regulation [J 5.1.1]

5.2.1 Examination of Vehicles

The organisers (in addition to any other powers they may have under these Regulations) reserve the right before or after any race in the championship to designate any one or more of the competing cars for special eligibility scrutineering. Upon such election being made the competitor shall immediately place the car under the control of the organisers and be deemed to have permitted all such scrutineering, examination and testing as the organisers may responsibly require to undertake. The organisers have the right to:

- A) Examine the car at the circuit for such period as they may reasonably require and take fuel and/or other samples and/or
- B) Retain the car for detailed examination at premises chosen by the organisers. If the organisers elect to retain the car they shall make it available for collection by the competitor at least seven days prior to the qualification session for the next race in the championship unless the car is found to be in breach of these regulations and/or
- C) Seal the car and its components in such a manner as they may choose and require the competitor at their own expense to present the car at any other premises chosen by the organisers for detailed examination within a specified period and/or remove the car by transporter at no expense to the competitor to an appointed location. The competitor will be advised in writing of the time, date and location of the subsequent testing or eligibility examination.

The overseen stripping of the engine or any required component will be undertaken by the competitor and/or mechanic/technician nominated by the competitor.

The organisers reserve the right to re-inspect vehicles at any time during the course of the season.

Competitors will be personally and solely responsible for ensuring that their cars comply with their registration details and with these regulations for each event at which they are entered. Failure to comply in either respect will be a breach of these regulations and the car will be deemed ineligible. Queries

concerning eligibility should be referred in writing to the series Eligibility Scrutineer at least seven days prior to an event entered, to permit a ruling in advance of any meeting at which it is intended to compete.

Tests to establish the power output and max rpm of any car's engine may be carried out by the organisers or their representatives. Such power testing will be carried out using Caterham's nominated facility.

5.3 SAFETY REQUIREMENTS

All cars must conform to the general and competition regulations of the Motorsport UK, which define minimum safety requirements for racing purposes. All cars must conform to these regulations before they can be accepted for racing or official practice. You should refer to the Motorsport UK Yearbook sections [J 5], [Q 13] and Section K.

It is generally accepted that in order to ensure the safety and security of a car, it must be kept clean so that faults can be easily spotted and identified. Likewise, the components of the car should be race worthy to best possible degree and fitted securely. Therefore, it is a requirement of entering the Championship that competitors will ensure that their cars are clean prior to being presented for safety scrutineering, and for qualifying and races. The Safety Scrutineers reserve the right to refuse to scrutineer a car if it is presented in a sub-standard condition. Furthermore, the Clerk of the Course reserves the right, on the Eligibility Scrutineer's advice, to prevent a car from taking part in qualifying or races, should the presentation not be up to standard.

- 5.3.1 A Caterham supplied Motorsport UK approved rollover cage (Caterham part numbers 30P022A or 30P022B) must be fitted to all cars without further modification and must be bolted, not welded in place.

A head restraint to Motorsport UK Regulation [K 13] must be fitted which must measure a minimum of 10cm x 10cm and be situated not more than 5cm behind the driver's head. The design of the head restraint is free provided that it conforms to Motorsport UK regulation [K 13]. There must be clearance of at least 5cm between the top of the driver's helmet and the top of the rollover cage. Competitors should note that Caterham composite seats part numbers 73467, 73468, 30P239A and 30P240A must have an additional restraint fitted behind the headrest area to meet the requirements of Motorsport UK Regulation [K 13].

Fitment of roll cage padding Caterham part number 79136 to the rollcage main hoop, roof diagonal and drivers side cant rail is mandatory

- 5.3.2 Use of the Caterham supplied side impact / rear wheel protection bar part number 30P306A is mandatory.

- 5.3.3 A six point full harness safety belt must be fitted complying with Motorsport UK Regulation [K 2.1.4]. Belts designed to pick up on the correct points on the chassis are available from Caterham.

A Schroth harness, especially designed for use with a Caterham and FHR has been developed and is available from Caterham; part number 30J022A.

The use of arm restraints is mandatory and these are also available from Caterham.

Competitors are recommended to replace complete belt sets involved in accidents.

- 5.3.4 [A plumbed-in fire-extinguisher in accordance with Motorsport UK General Regulation K3.1 is mandatory.](#)

It is permitted to relocate the fire extinguisher from its factory-fitted position (in the passenger footwell), to the boot space, or at the discretion of the eligibility scrutineer, an alternative appropriate location. When installed in boot space, it is recommended that the operating handle is rotated up 45 degrees from horizontal.

Under Motorsport UK and FIA regulations, fire extinguishers need to be recertified every two years or in accordance with manufacturer guidelines (whichever is soonest). If your car is two years old this year, it is likely that your extinguisher will require this.

Caterham recommend sending it to Lifeline Systems in Coventry for servicing and approval. To arrange return, please contact Lifeline directly on 02476 712999; address: Burnstall Road, Coventry, CV5 6BU.

- 5.3.5 An electrical master switch to Motorsport UK Regulation [K 8] capable of isolating the battery and ignition systems must be fitted in such a position that it can be operated from both inside and outside the car. The switch and wiring provided allows it to be located on the offside of the scuttle where the protective eyebrow must be used. Alternatively, the centre of the scuttle as per the standard Seven 420R position may be used to locate the switch and does not require the protective eyebrow. It is not mandatory to use a Caterham supplied switch.
- 5.3.6 The electrical cut out must be marked by a red 'spark' on a blue triangle.
- 5.3.7 The ignition switch 'OFF' position must be marked.
- 5.3.8 The battery (Caterham part number 53034W) must be located within the engine bay and its terminal must be protected by a non-conductive cover. The earth lead must be clearly marked in yellow. Motorsport UK regulations require that only the battery master switch and an electrically operated fire extinguisher may be connected to the battery.
- 5.3.9 The rear bulkhead behind the driver and over the petrol tank must be made flameproof to Motorsport UK Regulation [Q13.1.1]. The boot floor over the petrol tank must be an aluminium honeycomb panel as supplied by Caterham (see 5.6.1 ii). An aluminium shield must be placed over the rubber fuel filler hose. The use of tank tape to seal the boot floor to the rear bulkhead is not considered sufficiently flame proof. Suitable tape is available under Caterham part number 77519.
- 5.3.10 A Caterham supplied FIA approved LED type high intensity rain light (Caterham part number 37L048A or 30L284A) is mandatory.
- 5.3.11 The engine may be fitted with the 36EB01A remote breather system or the standard breather system for Academy cars as identified by Caterham's engineering department.
- 5.3.12 All chassis are manufactured with aluminium honeycomb chassis side impact protection, which must not be removed.
- 5.3.13 Competitors should also refer to Motorsport UK Regulation [K 9] concerning, overalls and Motorsport UK Regulation [K 10] for crash helmets. The wearing of balaclavas, flameproof gloves and boots are mandatory in this championship. The wearing of open-faced helmets is prohibited. Competitors are also strongly advised to wear flameproof underwear.
- 5.3.14 Use of an FIA approved Frontal Head Restraint in accordance with Motorsport UK Regulation [K.10.4] is mandatory.

The chassis of 2014 and onwards Academy cars is fitted with additional mounting bosses to allow the harness shoulder straps to be located in a position suitable for use with an FHR device. In some instances, these positions may not suit all drivers and modification may be required.

Where modification may be required, the FHR device, competitor's helmet, six-point harness and car must be simultaneously presented at Caterham Westbury or Arch Motor & Manufacturing Ltd, to allow any necessary chassis modifications to the upper seat belt anchorages to be made. A charge will be made to modify the chassis and proof of modification will be notified to the Championship Coordinator by Caterham Westbury or issued by Arch Motor & Manufacturing Ltd. Competitors may be asked to present their proof of modification paperwork at scrutineering.

- 5.3.15 Towing straps, in accordance with Motorsport UK regulation [Q13.1.3], must be fitted; one at the front and one at the rear. The choice of strap is free. A suitable strap is available from Caterham under part number 30P344A.

5.4 GENERAL TECHNICAL REQUIREMENTS & EXCEPTIONS

- 5.4.1 This is a one make formula and all cars are to be in identical specification with the exception of the adjustments permitted by these regulations.
- 5.4.2 No standard components can be modified, substituted, relocated or changed in any way except those specified herein.

In recent years Caterham's part numbering system has been revised. New part numbers now consist of seven digits. The last digit of this seven-digit number is a suffix which will be 'A' for any new part. If there is a minor change to the part such that it is completely interchangeable with the outgoing part and supersedes it completely (for example, a change of supplier or material), the part number suffix will be changed to 'B' and so on. As a change may occur during the racing season, such a part may be used to replace a part identified with an earlier suffix (only) within these regulations.

Where a part is not identified by a specific part number within these regulations, but is a 'standard' part that may not be removed, modified or replaced; a 'standard' part is that part number identified in the bill of materials (BoM) of either the actual car or any subsequent BoM for an identical specification car. For clarity, this allows the change of a standard part to a later level, if the later level is standard production build which has superseded an earlier part but does not have a simple suffix change to the part number because it is not a global supersession.

- 5.4.3 If in the light of experience safety related changes to these regulations are necessary, competitors will be given at least 10 days' notice to effect modifications (D11.3.1 applies).
- 5.4.4 All vehicles must comply with Motorsport UK General Technical Regulations contained within Sections C, H, J, K, L and Q of the Motorsport UK Yearbook.
- 5.4.5 It is mandatory that any space between the driver's seat back and the seat back bulkhead is filled with twin pack seat foam.

5.5 CHASSIS

5.5.1 All cars eligible for this championship must be built using one of the following chassis:

30P001 x – where x indicates a chassis suffix of A, B, C, D or E and so on.

30P008 x – where x indicates a chassis suffix of A, B, C, D or E and so on.

5.5.2 All major chassis repairs must be carried out by Caterham Westbury or Arch Motor & Manufacturing Ltd, whilst minor repairs (as deemed suitable by the scrutineer or Caterham Engineering dept) may be carried out by an appointed Caterham Motorsport Service Centre (6.1.2) or Caterham Dartford; except temporary repairs undertaken at an event, where it is permissible to add or remove material from the chassis if the car has been involved in a practice, qualifying or race accident. Any such repairs must be sanctioned by the eligibility scrutineer or his appointed deputy, who may request a further assessment and approval from a member of the Caterham Engineering team. It may also be necessary for the competitor to sign a disclaimer prior to the car being used in the subsequent session. All such repairs must then be checked by Caterham or Arch Motors & Manufacturing Ltd before the car competes at another race weekend, except when specified on the Temporary Repair Action Form that there has been cockpit damage, which must only be checked and repaired by Caterham Westbury or Caterham Engineering, Dartford. Any bolt-on part repaired must be replaced by an undamaged part before the car competes in another race weekend.

5.5.3 The replacement or reinstallation of rivets/rivnuts into existing panels or the pushing/beating out of panels are exempted from this clause. For clarity, any repairs that require welding must be conducted in accordance with 5.5.2. If in doubt, contact the Series Scrutineer.

5.5.4 Fitment of Caterham lowered driver's floorpan (part no: [30EP388F](#)) and a passenger lowered floor (part no: [3EP389F](#)) is permitted using steel rivets but cockpit floor bracing tubes must be retained if the chassis features them.

5.5.5 It is permitted to cut slots into the seat back aluminium panel to allow the shoulder straps of the seat belts to be fitted underneath the harness tube rather than above. These must be protected as detailed in 5.5.6.

5.5.6 Any apertures in the seat or aluminium back panel through which the harness shoulder straps, lap straps or crotch straps pass should be protected with rubber piping to prevent chaffing of the belt (this is standard fitment on the Caterham race seat supplied with the car and must not be removed. Competitors are reminded to periodically check the piping is in place and secure, as regular wear and tear can cause it to become detached.)

5.5.7 It is permissible to modify the seatbelt/harness apertures to ensure that there is no contact between the straps and the seat when the driver is seated and secured in the car.

5.5.8 It is permitted for the driver to use a 'cool suit' type system (for driver body cooling). The system must be fitted in the boot space beside the fire extinguisher. Two 15mm holes are permitted to be drilled to allow passage of the cooling pipes to the suit. The holes must be made 'flameproof'.

5.5.9 It is permitted to fit reflective heat insulation to the footbox, tunnel and engine bay to reduce the heat in the cockpit. It is also permitted to fit double layers to provide additional insulation if required. The

choice of heat insulation is free. Caterham provide a heat insulation kit, part number 30P242A which may be used in whole or in part.

5.5.10 Chassis are supplied without a spare wheel carrier. It is prohibited to fit one.

5.5.11 Do not attempt to add any extra stiffness to the chassis frame. The Eligibility Scrutineer or his deputy reserves the right to select cars to be returned to the Caterham factory to have torsional stiffness measured. Should there be any deviation from accepted production tolerances the assumption will be made that modifications have been made and that chassis will not be permitted to race again, notwithstanding the application of any penalties.

5.5.12 The standard Caterham supplied chassis must be used unmodified in any way and strengthening or stiffening by whatever means is expressly forbidden, other than those specified in 5.5.1 to 5.5.11. Only the honeycomb panels permitted in these regulations may be fitted. These should not be bonded into place, but can be riveted to the aluminium floor, not the chassis rails.

5.6 BODYWORK

5.6.1 Permitted Modifications

i) General

The perspex Superlight race screen part number 53330R must be used (in place of the Academy/Roadsport windscreen) and may not be modified or altered in any way.

Front number plates must be removed for racing; removal of the rear number plates is optional.

At least two mirrors must be fitted at all times including one rollcage mounted 'internal rear view' mirror.

The choice of mirrors is free, provided they conform to Motorsport UK requirements and do not unnecessarily obscure the regular field of vision.

Hoodsticks are standard fitment to the car and must remain fitted to maintain the correct fitting of the standard boot cover.

It is mandatory to fit locking bonnet catches part number 30Z1079A in place of the standard over-centre items on the rear bonnet fixing. This ensures the integrity of the seal between the airbox and the bonnet intake hole.

A Caterham nosecone badge or nosecone vinyl decal (Part no 3FV305A) must be fitted in the regular position.

It is permitted to replace the scuttle panel and front bulkhead assembly for a one that does not have the redundant holes for some or all of the components no longer required when upgrading from Academy and Roadsport (wipers, windscreen stanchion and windscreen washer) or heater.

ii) Interior

The driving seat is free but it is important to note that the driver's helmeted head must be at least 5cm below the top of the rollover bar when seated normally.

When competing in Belgium or the Netherlands, two-part expanding foam seats must be covered in fire resistant tape supplied by Caterham. For clarity, this does not apply to professional-trimmed motorsport bead seats.

It is permitted to remove the passenger seat and passenger harness.

It is permitted to drill fixing holes for a brake limiting valve.

Fitment of the driver's side honeycomb panel (part number 76817) is permitted, in order to raise the driver's feet.

iii) **Exterior**

Use of rear wing piping is not mandatory

The alternative front wingstays (Caterham part numbers 76101 and 76102) are permitted.

Plastic screws (Part number BM5 x 25) may be used in place of the standard steel screws supplied to retain the rear wings. Flare rivets may also be used, provided the mounting of the wing remains equally as secure as well bolted.

It is permitted to use Caterham half side-screens part numbers 76257A and 76258A, or 30V086A and 30V087A (carbon effect), but no other alternatives.

It is permitted to fit stainless steel sill protectors (Part no. 30P071A). Carbon Fibre sill protectors, though available from Caterham, are not permitted.

It is permitted to remove rubber trim and nut covers associated with compliance of IVA.

Tape may be used as a temporary measure to secure damaged wings and nose cones at events, but competitors are expected to present their cars at scrutineering at the next event properly repaired.

It is permitted to paint the bodywork of the car in any colour or use a vinyl wrap to the same effect. In addition, with the express permission of the series scrutineer, it is permitted to paint, repaint or anodise visible components to improve the presentation of the car.

It is permitted to fit a passenger side impact protection bar, part number 30P207A. (Competitors are advised that the Caterham hood [not permitted for racing], is not compatible with the additional side impact protection bar and cannot be fitted securely).

It is permitted to use either 'CATERHAM' rear badge part number 30V151A or 300V0053A, but it must be in the standard position; or to remove the rear badge completely.

iv) **Silhouette**

No modifications are permitted

v) **Ground Clearance**

Ride height may be adjusted subject to a minimum ground clearance measured from the lowest point on the chassis excluding bolts, screws, nuts and rivet heads with the driver (In full racing kit) seated normally in the car.

All vehicles must have a section of aluminium sideskin removed from the lower section to expose the chassis member on both sides to allow for ride height to be measured. This must be at the front most section, where the chassis rails meet the chassis crossmember. This must measure 30mm x 30mm.

The minimum ground clearance (measured between the ground and exposed section of chassis as identified above) at all times is 120mm.

In the event of a puncture on arrival at Parc Fermé, it will be permissible for an alternative wheel and tyre to be fitted, inflated to 24psi, to ensure a valid ride height check; excepting when the puncture has been signalled to the driver by way of the 'Mechanical failure' flag (black with an orange disc) during the session.

5.6.2 Prohibited Modifications

i) General

Hoods and tonneau covers are prohibited for both practice and racing.

ii) Interior

Fitment of passenger side aluminium honeycomb panels is prohibited.

Fitment of a carbon fibre dashboard is prohibited.

It has previously been permitted to replace the standard aluminium boot board (part number 36P031A) with the 2019 Academy boot board, part number 300P0060A, which provides access to the fuel pump without requiring the boot board to be removed. This part is no longer available and whilst still permitted it is recommended that this boot board is replaced with the standard aluminium boot board part number 36P031A.

iii) Exterior

It is not permitted to drill any holes into or to modify the outer skin or inner panelling of the car except where specified in these regulations or assembly instructions, other than where chassis bushes have been factory drilled to expose them.

The cycle wings, rear wings and nosecone must remain in GRP as standard and be original Caterham supplied parts. The substitution of aluminium or carbon fibre items even though available from Caterham is not permitted.

Caterham stainless steel or carbon fibre wing protectors may not be fitted to the rear wings.

iv) Silhouette

The front wings must be either bolted or bonded in position as designed by Caterham; or securely riveted following a repair. The leading edge of the wing to the forward-most edge of the wingstay must be no more than 80mm. The wingstay must not be modified in any way, such as bending the legs or mounting in a non-standard way that would lead to the wing being out of its factory standard position. A wingstay that has been lightly damaged in an accident may require replacement (at the Scrutineer's discretion) if it affects the position in which the wing sits in relation to the wheel

v) **Ground Clearance**

No other modifications are permitted except those detailed in 5.6.1

5.7 ENGINES**Seven 310R**

Only 1.6 Ford Sigma TiVCT sealed engines as supplied by Caterham are eligible for this championship as supplied by Caterham. The TiVCT engine was introduced in Academy in 2014. Cars that have progressed from the 2016 Roadsport Championship (and therefore 2015 Academy) will be equipped with the TiVCT engine.

In the event of an engine failure or wear, the engine must be returned to Caterham Dartford to be rebuilt and resealed (or with the prior approval of Caterham, an appointed Caterham Motorsport Service Centre (6.1.2); for some engine operations). It is the competitor's responsibility to return his or her engine, fully kitted and to pay the cost of the rebuild

Use of spark plugs Caterham part number 37E553A is mandatory

Use of the Caterham Seven 310R specification inlet and exhaust camshaft kit part number 300E0008A is mandatory

A fixed timing belt tensioner pulley is fitted to the engine as standard by Caterham and is mandatory.

It is permitted to fit the Caterham Sigma lightened flywheel, part number [36E533A](#). ***NB: This regulation is updated for the 2022 season to correct a part number error only.***

The coil cover 30E317C is an integral part of the engine package and must be fitted.

It is mandatory for the ECU to be programmed with the latest race tune as advised by and provided by Caterham.

Caterham provide a spare sealed engine at all rounds that may be purchased.

5.7.1 Permitted Modifications

It is permitted to use cap head bolts to secure the engine mounting brackets to the rubber engine mountings.

A Caterham manufactured replacement alternator pulley, part number 30E427A is available and permitted in place of the standard pulley supplied on the Ford alternator. (There is no dimensional difference between the two pulleys. The Caterham part is available due to the pulley not being available from Ford as a spare).

Due to the design of the Ford engine, it is possible for the camshaft pulley to rotate fractionally in relation to the camshaft which may have a negative effect on the timing of the engine. It is recommended that the timing is checked at the end of the race season.

No other modifications are permitted.

5.7.2 Prohibited Modifications

It is strictly forbidden for a competitor to modify, remove or substitute any component or part of the engine or any of its ancillaries, nor must the scrutineering seals be removed or tampered with. Should these seals be damaged or removed for whatever reason except under the direction of the Motorsport UK scrutineer or Caterham, the car must not be raced or practised until the Motorsport UK scrutineer or Caterham has inspected the engine and refitted the correct seals.

The scrutineer or his appointed deputy may require that the engine be removed to be power tested, the costs of which will be borne by the competitor. If considered necessary, the engine will be dismantled for inspection and the cost of this, and subsequent rebuild, will be borne by the competitor. All instances of broken seals will be logged and reported to the championship organiser. Suspect engines are most likely to be subjected to strip and inspection at the competitor's costs.

Dry sump equipment is prohibited.

The throttle potentiometer and its fixings must remain standard and in the original position.

Cam sprockets, crank sprockets and cam belt must remain standard and in original positions.

It is prohibited for competitors to make modifications to the oil pressure relief mechanism.

All engine rebuilds/repairs or the fitment of updated components that require seals to be broken must be carried out by Caterham Dartford or, for some engine operations, an appointed Caterham Motorsport Service Centre (6.1.2), or in the presence the series Scrutineer or an appropriate Caterham representative appointed by him, who will refit the appropriate seals before engines are returned to the competitor.

5.7.3 Location

On no account must the engine be relocated within the chassis and only the standard Caterham engine mounting brackets and rubbers are permitted.

5.7.4 Cooling System

Either the standard Caterham radiator part number 73157 (73157PA or 73157PL) and standard cooling fan part number 73150, or the R400 road car aluminium radiator part number 38C036B and fan part number 58514 and associated brackets; must be used.

The standard thermostat must remain fitted, unmodified and operational.

It is mandatory to fit either the "7" grille part number 77777A and mesh grille part number 77778 behind it, or just the combined mesh '7' grille part number 30C093A.

No other modifications other than those listed above are permitted.

5.7.5 Induction Systems

A throttle pedal stop must be used and whilst the design of this is free, Caterham part numbers 74128, 30P048A and 30P253A are available but not mandatory.

The standard cold air induction system must be used and with either the standard air filter part number 30E178A, or optional KN air filter part number 30E211A or 30E211B fitted. The bonnet intake cut-outs must be fitted with a 30P159B grille.

5.7.6 Exhaust Systems

The Caterham exhaust system incorporating a catalytic converter is supplied as standard to allow registration of the vehicle and comply with Construction and Use regulations and must be fitted at all times. The only permissible exhaust system is available under the following Caterham part numbers:

Silencer	36X013A unpolished or 360X006A polished
Cat/Collector	36X012A unpolished or 360X005A polished
Cylinder No 1	36X014A unpolished or 360X001B polished
Cylinder No 2	36X015A unpolished or 360X002A polished
Cylinder No 3	36X016A unpolished or 360X003A polished
Cylinder No 4	36X017A unpolished or 360X004A polished

Use of a cat/collector guard part number 70262 or 70262B is mandatory.

Use of an exhaust guard part number 70261 or 70261B is optional.

It is permitted to drill the exhaust at the mating between the catalytic convertor and the silencer, and insert a single rivet to prevent the silencer from rotating. All other either external or internal modifications by means of application of additional material or by a manufacturing / coating process are prohibited.

5.7.7 Ignition Systems

The electronic management system, part number 30L192D must be used unmodified in any way and may be exchanged or tested by direct comparison with a factory supplied unit. It is mandatory for the ECU to be programmed with the latest race tune as advised by and provided by Caterham.

It is permitted to have the CAN stream data enabled (if not already present in the latest map) from the ECU to provide data to a VBOX as per 5.10. Enabling of the CAN stream can only be done by Caterham Dartford or an appointed Caterham Motorsport Service Centre, by a re-flash of the ECU (for which the vehicle does not have to be present).

It is specifically prohibited to fit any ducting to the starter motor or elsewhere in the system.

It is permitted for the engine immobiliser to be bypassed or removed by Caterham or an appointed Caterham Motorsport Service Centre.

5.7.8 Fuel Delivery Systems

Use of the standard fuel pressure regulator integral in the fuel pump is mandatory. At 12 volts the unit delivers fuel at 3.8bar (380kPa).

It is permitted to fit FIA approved dry break connections to the fuel lines to ease removal/replacement of the engine.

To facilitate sampling and draining of the fuel tank of cars fitted with a dry-break connection, it is permitted to add wiring and a switch to enable the fuel pump to be operated without the ignition system switched on. When using the fuel pump to drain the tank, fuel must only be drained via the dry-break connection.

No other modifications are permitted.

5.8 SUSPENSIONS

The only permitted front suspension specification is "widetrack" suspension comprised of double unequal length wishbones; lower wishbone part numbers 34F013A (left) and 34F014A (right), upper wishbone [part](#) numbers 34F011A (left) and 34F012A (right), [or 30F065A \(not-handed\)](#); an anti-roll bar and features Bilstein competition dampers and coil springs.

[For reference, the 30F065A upper wishbone is included to allow stock simplicity for teams and the Caterham trackside parts facility. It enables increased camber capability in the Seven 420R race car application, but when used in this formula, the camber limit detailed in 5.8.1 means it provides no additional advantage over the standard parts.](#)

It is permitted to use lockwire in place of the standard R-clips for securing the brake pad retaining pins in place.

The only permitted dampers are those provided by Caterham under part numbers 74501 (front) and 74502 (rear).

The only permitted springs in are part number 77843 (front) and part number 77844 (rear)

Front dampers must be fitted with the main body fixed to the lower wishbone. Rear dampers must be fitted with the main body fixed to the De Dion tube (right way up).

Radius arms must be mounted with the forward point in the lower of the two mounting holes in the chassis, except in the case of a temporary repair, where chassis damage makes it impossible to use the lower mounting hole. In this instance only, both radius arms must be positioned in the upper mounting holes. The chassis must be suitably repaired in time for the next event.

It is recommended that the De Dion tube is regularly and carefully inspected for cracking or damage, especially the weld between the tube outer buttress and the end plate. De Dion tubes must be changed as a matter of course following an accident. Failure to tighten damper securing bolts to the threaded bushes may result in the bush being torn out of the tube.

Both the standard De Dion tube, part number 79028B, and the reinforced De Dion tube part number 370R0003A, are permitted.

5.8.1 Permitted Modifications

Adjustable spring seats (Part number DSSU01) are permitted. Ride height may be adjusted subject to the minimum ride height requirements detailed in section 5.6.1(v). Front and rear damper spring seats may be modified by removal of metal only to allow greater adjustment of spring positioning. Circlip grooves

may be added to the body of the shock absorber to allow the fitment of different length springs. No other machining or modification to the dampers themselves is permitted.

It is permissible to adjust front camber to a maximum of 3° (negative) and castor angles by means of the adjustable length top wishbone provided and by shimming the lower wishbone with washers.

It is permitted to substitute the standard lower wishbone front mounting bolt with a longer bolt of a similar specification.

It is permitted to replace the machined lower upright fixing nut, part number 30Z1068A, with the top hat spacer part number 3ACZ0019B and ½" UNF full nyloc nut (available from Caterham under part number NFYH1/2).

Camber will be measured on a 'flat-patch' as laid out by the eligibility scrutineer at the race event. Every care will be taken to ensure that this portable equipment is level and this will be verified by the chief scrutineer. In order to verify any marginal (or excessive) camber reading to both the competitor's and scrutineer's satisfaction, the flat-patch may be re-measured to demonstrate it is level and the camber will be measured with the wheels in the 'straight ahead' position displaying equal toe either side when measured using a physical string system or computer geometry system, as defined by the eligibility scrutineer.

Where possible, the eligibility scrutineer will make this facility available for competitors to check geometry settings prior to taking to the circuit. However, due to the number of competitors and time constraints on the day, this may not always be possible.

No modification can be made to the De Dion tube except that shims may be inserted to adjust camber to a maximum of 3° (negative) and toe angles as required.

Caterham produce a range of De Dion shims under the following part numbers and sizes:

Camber

300R0005A	0.1mm = 0.1°
300R0006A	0.2mm = 0.2°
300R0007A	0.5mm = 0.5°

Toe

300R0008A	0.5mm = 0.08°
300R0009A	1.0mm = 0.16°

It is permitted to use the R300 2° De Dion ears part number 30R036A in place of the standard ears.

The following Caterham supplied front anti roll bars are permitted:

Diameter	Colour	Code
18 mm	Green	75556
5/8"	Red	75561 or 30F034A
9/16"	Blue	75559 or 30F033A
1/2"	Orange	75552 or 30F032A

The front anti roll bar may be removed, but if fitted must be properly connected.

Only 1/2" diameter Caterham supplied rear anti roll bars are permitted.

It is permitted to remove or disconnect the rear anti-roll bar

It is permitted (but not required) to use plastic packing shim part number ZZ021463 between the A-frame and De Dion tube mounting. Metal washers, part number WPH1/2, must be used between the lower wishbone and chassis mounting to provide correct castor adjustment, and between the A-frame outer mounting points and chassis to achieve the correct spacing and prevent the A-frame from becoming stressed.

It is permitted to fit cap head bolts to secure front spring / damper assembly to the chassis.

5.8.2 Prohibited Modifications

No other modifications whatsoever are permitted to the car's suspension and suspension components must not be modified in any way nor may suspension pick up points be changed.

The bump rubbers may not be cut down or removed from the mandatory Bilstein dampers.

5.9 TRANSMISSIONS

The standard transmission specification including gearbox, bellhousing, clutch, axle and differential must be retained and all parts must be fitted and assembled correctly.

Use of the Caterham clutch pedal stop (Part number 30P224A) is permitted.

The use of clutch plate part number 3EQ021A (AP) or 370Q0001A (Helix) is mandatory. There is no performance difference between the two clutch plates. A further clutch plate, part number 3E0Q0001A, supplied on a temporary basis due to force majeure remains permissible, but is no longer available.

5.9.1 Permitted Modifications

It is mandatory to fit a clutch pedal stop. The design and supply of this is free although Caterham provide a suitable part under part number 30P224A.

Design and supply of the gear knob is free.

It will be permitted to fit any further upgraded parts if introduced by Caterham.

Wire locking of the selector rod pins is permitted.

Use of two roll pins to fix the selector mechanism to the selector rod is permitted.

Use of a standard clutch pedal or the high ratio clutch pedal is permitted.

It is permitted to remove the speedo trigger wheel from the driveshaft.

No other modifications are permitted.

5.9.2 Prohibited Modifications

Use of a limited slip differential is mandatory.

Non-standard gears, including straight cut gears, are prohibited.

Use of the gear lever in quick shift position is prohibited.

Steel baulk rings are prohibited.

Steel blocker bars are prohibited.

Mis-assembly of standard parts, particularly with respect to synchromesh mechanism is

5.9.3 Transmission & Drive Ratios

The Caterham supplied Mazda 5 speed gearbox (Caterham part number 30G038A) is mandatory. The ratios within the gearbox must remain as per standard Caterham specification.

First 3.136:1

Second 1.888:1

Third 1.330:1

Fourth 1.000:1

Fifth 0.814:1

The mandatory differential and final drive ratio is part number 37A106A ratio 3.91:1.

The limited slip differential ramp angles must remain in the standard 30/90 configuration, as supplied by Caterham/Titan.

The limited slip differential must be the sintered-plate type part number 37A107A. For clarity, the carbon plate version fitted to the Caterham road car limited slip differentials is not permissible.

5.10 ELECTRICS

It is permitted to fit a non-integrated data-logging system and take a power feed and engine rpm signal from the vehicle.

It is permitted to connect a RaceSense or VBOX datalogging system to the OBD port using the RaceSense provided lead or, for Vbox, adaptor lead part number 370D0003A (when available), in order to utilise engine data (rpm, coolant temp, inlet air temp) from the CAN stream.

It is permitted to fit sensors (such as, but not limited to, throttle, brake, and steering) for a data logging system such as the RaceSense and the required power feeds.

It is permitted to fit a countdown timer or stopwatch to the dash or steering wheel centre to provide an indication of session duration.

It is recognised that there are many 'standalone' sport video systems that are capable of logging speed, g-forces and other data. These are permitted providing that they are completely independent from the car (with the exception of a power feed) and do not record any engine data information directly from it other than when a VBOX or RaceSense system is used as identified above.

A shift-light or sequential shift-light system may be used and choice of system and manufacturer is free. Caterham recommend the use of the ACES programmable sequential shift lights, available under part number ACES01.

It is permissible to disconnect the wiring loom from the speed sensor near the rear wheel (rendering the speedometer and odometer inoperable). This prevents the ECU fuse from blowing should the wiring to the speed sensor be damaged, for instance in the event of running through gravel.

All instrumentation must remain standard.

The standard electrical wiring looms must be retained.

Lap timing equipment is permitted.

The specification of the ignition and starter switch is free and may be repositioned on the dashboard. A push button start is recommended.

The standard fuel inertia cut out switch may be removed or relocated. If relocating, Caterham recommend the left-hand side of the gear lever, mounted on the centre tunnel just in front of the passenger seat. An inertia switch subloom, part number 37E552A, may be added to extend the existing wiring loom for this purpose. If removed, a 'jumper' wire is required to complete the circuit. Only Caterham part number [370L0003A](#) may be used for this purpose.

It is mandatory to have video recording equipment fitted and operating during qualifying and racing. This must consist of at least one forward facing camera providing a reasonable view of the circuit ahead such as would be expected to provide a representative 'driver's eye' view. Location of the camera to provide this is free. The choice of system is free, provided that playback is possible at the circuit by regular means, such as via a laptop PC, or by using equipment designed for the purpose provided by the competitor (see 2.13).

All power feed to the vehicle and engine looms must be connected via the master battery switch

5.10.1 Exterior Lighting

The standard rear wing mounted light cluster (containing the indicator, rear light and brake light) may be removed and replaced with the roll-cage mounted race brake light solution, part number 30L170AK or 30L170AP.

When the standard cluster is retained, it is permitted to replace the lens with the clear light lens part number 39D028A and coloured bulbs B614 (orange indicator) and 39D030A (red stop/tail).

When the roll-cage mounted lights are used, there must be two (and no more), one each side mounted so that the light is in positioned inside the upper corner of the main hoop of the roll-cage.

The headlamps, front indicators, mounting brackets and repeater lamps may be removed from the front, and the rear number plate light, reverse light and rear fog light may be removed from the rear panel.

5.10.2 Rear Fog Light

A high intensity rear light to Motorsport UK Yearbook K5 must be fitted. A Caterham FIA approved LED type high intensity rear light, pre-fitted with the correct plug for ease of fitting to the existing vehicle loom, under part number 37L048A or 30L248A is mandatory, it must be fitted on the X braces of the rear cage with the supplied clamp type bracket under part number RSGU140-15. It is not permitted to drill or weld the roll cage.

5.10.3 Battery

The battery position and the battery (part no: 53034W) itself must be standard.

5.10.4 Alternator

The standard alternator (Part number 36E116A) must remain fixed, unmodified standard and working.

5.10.5 Starter Motor

The standard starter motor must be retained at all times.

5.10.6 Wiper Motor

It is permitted to remove the wiper motor mechanism.

5.10.7 Horns

It is permitted to remove the horns.

5.11 BRAKES

The standard braking system must be retained apart from the following specific modifications.

It is mandatory to fit the AP racing 'race' type master cylinder cap (part number 77175) in place of the standard item.

5.11.1 Permitted Modifications

Fitment of race specification brake master cylinder (part number 77176) is permitted.

Brake friction materials are free.

It is permitted to use lockwire in place of the standard R-clips for securing the brake pad retaining pins in place.

It is mandatory to use tape (or other means) to bridge the gap between the end of the handbrake lever and the top of the transmission tunnel.

It is permitted to fit a brake limiting valve in the rear circuit. It is also permitted to mount the valve in the cockpit so as to be adjustable by the driver when seated normally in the car. The make of valve is free (Caterham recommend the use of the lever type (part number 58541) or the rotary type (part number 19X066542R) and it is permitted to drill fixing holes in the chassis to mount it. It is permitted to fit the brake limiting valve using braided hose.

When installing and using a brake limiting valve, competitors are reminded to comply with the requirements of Motorsport UK regulation [Q13.4(c)].

Use of a standard brake pedal or revised ratio pedal part number 300B0008B or the low ratio (high effort) brake pedal part number 30B045A is permitted.

Rear brake pipes from the 3 way union on the Dedion tube to the rear brake callipers may be replaced with braided stainless steel hoses part no: 77201L and 77201R. It is essential that these are fitted so that they cannot foul with any part of the car under full suspension travel.

5.11.2 Prohibited Modification

No other brake modifications are permitted. The uprated brake packages available from Caterham are prohibited.

5.12 WHEELS/STEERING

5.12.1 Permitted Options

Use of 6" x 13" 'Apollo' style aluminium wheels as supplied by Caterham under part numbers 30W044A (Silver), 30W041A (black/polished) or 30W029A (Hi-Power silver) is mandatory.

The wheels may be painted any colour. Any combination of the above part numbered Apollo type wheels may be used as required.

The wheels are supplied with a plastic centre cap and badge as standard. These must be removed for practices and races.

Any of the following steering rack assemblies are permitted:

Standard width standard speed rack	Part No: 75615A* or 30S032A*
Widetrack standard speed rack	Part No: 75608A or 30S031A
Standard width quick (22%) rack	Part No: 75605A* or 30S030A*
Widetrack quick (22%) rack	Part No: 75604A or 30S029A

*Must be used in conjunction with rack extensions Part No: 74081

It is permitted to raise the height of the steering rack using spacer shims Part number 75607

It is permitted to fit the reversible 30S018A steering rack clamp, introduced into Caterham standard production at the end of 2009 (replacing the existing clamp). This rack clamp provides either standard height, or 9mm of lift under the rack, depending on which way up it is fitted.

The steering wheel is free, however the steering wheel must comply with Motorsport UK Regulation [J 5.7]

It is permitted to fit a spacer between the wheel and the boss.

It is permitted to fit Caterham quick release upper steering column part number 75030A or 30S043A

It is permitted (and recommended by Caterham) to remove or deactivate the steering lock.

[It is permitted to use steering column UJ part number 300S0014A \(which is available from March 2022 onwards and replaces the earlier item, part number 225-588\)](#)

5.12.2 Prohibited Options

The standard steering mechanism must be used without modification other than detailed in 5.12.1.

5.12.3 Construction & Materials

No changes are permitted except as specified in these regulations.

5.12.4 Dimensions

All dimensions must remain within manufacturer's specification.

5.13 TYRES

5.13.1 Specification

Cars must run on Avon ZZS treaded tyres of the following sizes and specification:

Front: 185/55R13 Part number 7718

Rear: 185/55R13 Part number 7718

Competitors are reminded that, other than where specified, road-legality must be maintained AT ALL TIMES. Road legality for tyres requires that they have 1.6mm of tread depth in a continuous band throughout the central three-quarters of the tread width, throughout the whole circumference. Allowances will be made for 'flat-spots'.

The eligibility scrutineer reserves the right to request a tyre or tyres to be deflated and then inflated with a foot pump in the assembly area prior to qualifying or a race. Where a car is considered to have team support, it will be the team's responsibility to carry this out under supervision. For independent drivers, a member of Caterham personnel will undertake this task.

It is permitted to manually remove rubber 'pick-up' from tyres.

The Avon ZZS tyre is directional and the correct direction of rotation is marked on the tyre. It is mandatory that all four tyres are run in this direction and not reversed.

5.13.2 Nominated Manufacturer

Cooper Tire & Rubber Company Europe Limited

5.13.3 The use of tyre heating/heat retention devices, tyre treatments and compounds is prohibited.

5.13.4 Use of tyre pressure limiting valves is prohibited.

5.13.5 Use of any gas other than air to inflate tyres is prohibited.

5.13.6 Tyre buffing is prohibited, as is shaving or any other method of removal of tread depth from the original tyre, other than by normal wear through contact with the track/paddock/road surface.

5.14 WEIGHTS

Competitors are recommended to weigh their cars and add sufficient ballast to allow for loss of bodywork during racing and/or variations in readings given by the weighbridges at individual circuits. Remember that it is the reading recorded by the circuit weighbridge on race day which counts.

The minimum weight limit including driver (complete with helmet, suit, gloves & overalls) is 620kg.

Drivers lighter than 90 Kg may need to add ballast.

Any ballast required must be attached to the chassis in accordance with Motorsport UK Regulation [J 5.15] using a minimum of 4 mounting points using bolts with a minimum diameter of 8mm each with steel washers of at least 400 square mm surface area and 3mm thickness.

Where ballast is fitted it shall be fitted on the passenger side of the cockpit.

Substitution of alternative, non-standard, lightweight fasteners is specially prohibited.

5.15 FUEL TANK AND FUEL

5.15.1 Types of Fuel Tank

The fuel tank must either be the standard aluminium tank, part number 36T003A, or moulded FIA-FT3 fuel cell, 300T0023A.

An aluminium honeycomb protection kit (package number TI04P) is fitted as standard on the aluminium tank in Caterham Academy cars and is mandatory when this tank is retained.

The moulded fuel cell does not require the honeycomb protection or boot floor, but must be housed within an aluminium container, part number 300T0024A.

The fuel tank vent must be installed to prevent spillage through the breather system. It may be necessary to fit a vent tube and additional check valve to prevent spillage when the tank is full.

5.15.2 Location of the Fuel Tank

The tank must be located in its correct standard position at the rear of the car

When the standard fuel tank is retained, a Caterham 'aero' style fuel filler, part number 30T065A (black) or 30T066A (silver) is mandatory. The cap tether may be removed.

When the moulded fuel cell is used, the filler is within the boot area. Although redundant, the standard tank filler cap may be retained to occupy the hole in the rear panel. It is permitted to remove the standard filler and 'blank' the hole with aluminium or delete the hole entirely in the event of a rear panel replacement. It is not permitted to leave the hole empty.

5.15.3 Fuel

All cars must run on pump fuel as defined by the Motorsport UK regulation [B – Appendix 1] only.

5.16 SILENCING

5.16.1 Specification

Use of the Caterham Silencer (part number 36X013A), which when new complies with Motorsport UK Regulation [J 5.17] and [J 5.18] is mandatory. Performance of this silencer will degrade with use and accident damage. It is the competitor's responsibility to ensure that their car always complies with the noise limits which are strictly enforced at many circuits.

5.17 COMPETITION NUMBERS/DECALS

5.17.1 Positioning of Decals

Competition numbers, number squares, Championship sponsorship decals and any other decal identified on the Championship decal plan must be fitted and positioned in accordance with the Championship decal plan issued by the Championship Coordinator prior to the start of the season.

The BRSCC shields are identified on the decal plan (located on the side of the nose cone) and are therefore mandatory in this position. No other conflicting motor-racing club logos or shields may be shown on the car.

It is not permitted for cars to display logos of a conflicting championship (as identified by either Caterham or the BRSCC)

It is not permitted for cars to display logos of a company or organisation that it is direct competition with one of the championship sponsors.

Competitors are otherwise free to display the logos of any company or organisation they wish, as long as they comply to the Motorsport UK [H 28] and do not overlap or obscure the clarity of championship logos.

5.17.2 Supply of Decals

Championship decals are available from the Championship Coordinator, spares are available at events from Caterham, all competitors must provide their own racing numbers.

Competitors may replace the CATERHAM and single colour Championship logos (but not number squares, or numbers) with an alternative colour, if this is clear and contrasting against the vehicle's colour scheme in the opinion of both the Championship Coordinator and Eligibility Scrutineer. Such replacements must be sourced by the competitor and produced utilising the Caterham artwork, which is available from the Championship Coordinator, cut from appropriate sign-writing vinyl. Competitors using their decals are reminded to carry sufficient spares.

5.17.3 Penalty for Contravention of 5.17.1 & 5.17.2

Competitors are reminded that, whilst Championship decals will have no bearing on performance, displaying the correct logos in the correct manner is important to the Championship and as such, the requirement to conform is a technical regulation of the Championship which may be penalised as such should a competitor be in breach.

6. APPENDICES

The following Commercial Undertakings are not subject to the Judicial Procedures of either the Championship Stewards and/or the Motorsport UK/MSK.

6.1 RACE ORGANISING CLUBS & CONTACTS

ORGANISING CLUB

British Racing & Sports Car Club
Suite 1, 60 Churchill Square
Kings Hill
West Malling
ME19 4YU
Tel: 01732 780100
www.brsc.co.uk

USEFUL CONTACTS

CATERHAM MOTORSPORT PARTS	Darren Phillips	Kennet Road, Dartford, Kent DA1 4QN Tel: 01322 625800 Mobile: 07801 977854 Email: darren.phillips@caterham.com
CATERHAM MOTORSPORT SERVICE - SOUTH Caterham Gatwick	Colin Vaughan	Caterham House, Fleming Way, Crawley, West Sussex, RH10 9NQ Tel: 01293 312300 Email: colin.vaughan@caterham.com
CATERHAM MOTORSPORT SERVICE - WEST Williams Automobile	Tony Davey	TotterOak Courtyard, Horton, Chipping Sodbury, Bristol, Avon, BS37 6QG Tel: 01454 315112 Email: tony@williamsautomobiles.com
CATERHAM MOTORSPORT SERVICE – NORTH WEST Oakmere Motor Group	Paul Anderson	Oakmere Motor Group, Manchester Road, Northwich, Cheshire, CW9 7NA Tel: 01606 41481 (five digit number only) Email: paul.anderson@oakmere.volkswagen.co.uk
CATERHAM MOTORSPORT SERVICE - EAST Krazy Horse	Charlie Holding	Krazy Horse, Deco House, Lamdin Road, Bury St Edmunds, Suffolk, IP32 6NU. Tel: 01284 749645 Email : charlie.golding@krazyhorse.co.uk
CATERHAM WESTBURY Chassis repair centre	Linda Humphries	Caterham Westbury, Unit 1A, Brook Lane Ind Est, Westbury, Wilts, BA13 4EP Tel: 01373 858585 Email : linda.humphries@caterham.com
CATERHAM MOTORSPORT SERVICE – Silverstone	Ben Sengelow	Caterham Silverstone, 1117 Silverstone Park, Silverstone Circuit, Towcester NN12 8FU Tel: 01327 222888 Email: ben.sengelow@lotussilverstone.co.uk

Motorsport UK

Motorsport UK, Bicester Motion, OX27 8FY
Tel: 01753 765000

**Championship
Coordinator**

Kirsty Durrant

Caterham Cars Ltd
Kennet Road,
Dartford
Kent
DA1 4QN
Tel: 01322 625800
Mobile: 07989 404503
Email: kirsty.durrant@caterham.com

Scrutineer

Ian Millar

Mobile: 07525 417184
Email: millarian@me.com

Cooper Avon Tyres

Adam Watts

Cooper Tire & Rubber Company
Bath Road
Melksham
Wilts SN12 8AA
Tel: 01227 357206

Demon Tweeks

Dave Kimberley

75 Ash Road South
Wrexham Industrial Estate
North Wales
LL13 9UG
01978 663027

6.2 COMMERCIAL UNDERTAKINGS

6.2.1 Vehicle Presentation

The presentation of the car is fundamental to the profile of the championship/series its sponsors and its audience. Therefore in considering whether to permit any car to race, any point during the season, the organisers will regard as paramount the presentation of the car. In taking into account its appearance inherent in which is the standard of its presentation (including interior) they may disqualify any car which they consider may prejudice the reputation of the championship or is otherwise unacceptable.

This will include where the car is presented at a race event bearing accident damage sustained at a previous event and which has not been subject to the completion of a full and proper repair. Note: A double header can be regarded as one event for the purposes of this regulation.

In addition to presentation of the car, the way that competitors and teams present themselves in the paddock is a reflection upon Caterham Motorsport. Therefore, competitors and teams are reminded to abide by the paddock plan issued within the final instructions, wherever possible. Private cars, trailers and working vehicles should be parked out of view allowing for the presentation of only Caterham race cars at the leading edge of the paddock area. Race cars should preferably be parked 'nose-out' and at ninety degrees to the paddock edge. Where conditions allow, teams should arrange their awnings so that they are grouped together in a 'team village'. Failure to cooperate in this fundamental piece of housekeeping may result in a competitor or team being advised to move their awning or vehicles during a race weekend and until done so to the satisfaction of Caterham and the organisers, may not be able to take any further part in the meeting.

6.2.2 **On-circuit promotional activities**

Competitors will be issued with championship sponsor decals and number squares. These must be displayed correctly positioned in order for the competitor to be eligible for points.

6.2.3 **Television coverage**

Competitors accept that in car television cameras may be fitted to their cars at any race or official practice session for a race as part of the promotion for the championship without charge. On no account should advertising be carried on cars in the cockpit area.

6.3 Deleted

6.4 Deleted